

The secret to  
age-defying skin  
is in your hands.

Are your hands giving away your age?  
RADIESSE® rejuvenates hands to look younger.<sup>1</sup>

RADIESSE®

# Your Hands are Always on Display!

## Have you noticed that...

- You seem more aware of your hands lately?
- Exposure of your hands in daily social interactions (handshakes, gestures, etc.) can cause you to feel uneasy?
- You wish there was something you could do to make your hands look younger?



Aging of the hands can be seen in a change in skin texture and loss of fat and muscle (Volume loss).

Radiesse is an ideal dermal filler for those who have hands that have a sunken appearance with visibly apparent bones, tendons and veins. Radiesse dermal filler is a long lasting choice that adds volume to the hands making your hands appear younger looking.

**RADIESSE<sup>®</sup>** stimulates your natural collagen production  
to help improve the structure of your skin.

RADIESSE® Treated Hands Look Years Younger... For up to 12 Months.<sup>1,2,3</sup>



Untreated back of Hand



Back of Hand following treatment



Untreated back of Hand



Back of Hand following treatment

Your doctor would be pleased to talk to you about aesthetic procedures to help rejuvenate the appearance of your hands.

Only RADIESSE® dermal filler is indicated for hand rejuvenation.

RADIESSE®

# For the Face and Hands... RADIESSE® is the Dermal Filler for Long-lasting Results.

## WHAT TO EXPECT DURING AND IMMEDIATELY AFTER RADIESSE® HAND REJUVENATION TREATMENT.

- RADIESSE is a dermal filler that is injected in to the skin of the hands to soften creases or folds; and to support areas of volume loss so they have a younger appearance.
- Local numbing medication may be used to maximize your comfort during the procedure. Most patients report only mild discomfort typically associated with needle injections.
- You may experience a mild to moderate amount of stinging or aching sensation post injection.
- To ensure an even correction, the physician will massage the area treated, which may cause a temporary, minimal to moderate amount of redness to your skin.
- Bruising at the site of injection is a commonly reported side effect. To minimize bruising, inform your provider if you use blood thinners such as ibuprofen, aspirin or herbal preparations, prior to your procedure.
- Temporary minimal to moderate swelling can be expected. Swelling can persist for 2-3 weeks in some patients and may begin 1-2 weeks after the treatment. Warm packs and hand elevation can help reduce swelling.
- It is normal to experience some tenderness at the treatment site for a few days.

RADIESSE is indicated for subdermal implantation for the correction of moderate to severe facial wrinkles and folds, such as nasolabial folds and the rejuvenation of the hand. After injection, patients may experience redness, bruising, swelling or other local side effects. Most side effects of treatment resolve within a few days. More rare side effects may include swelling that lasts longer, unevenness or firmness in the area injected, and as with any injection, there may be a risk of infection. Please see instructions for use for full list of warnings and precautions.


REFERENCES - 1. Busso, M. et al. *Dermatol Surg* 2010;36:790-797 2. Marmur E, *Dermatol Surg* 2009;35:1978-84 3. Edelson K. J. *Cosmet Dermatol* 2009;8:44-5

MERZ AESTHETICS™

© 2015 Merz Pharma Canada. All rights reserved.

MERZ AESTHETICS and the MERZ AESTHETICS logo are trademarks of Merz Pharma GmbH & Co. KGaA.

RADIESSE is a registered trademark of Merz North America, Inc.



RADIESSE®